DETAILED ESTIMATE FOR SUNDRAPE ROLLER BLIND SYSTEMS DRAPERY QUALITIES



product: Spunglas Okkult 793

quality: see sundrape[®] drapery designs drapery width: 2050 mm, 796 2000 mm

consisting of:

material:

100% glass-fibre, foil coated PVC- and halogen-free coating 100% black-out

physical characteristics:

weight of material: abt. 420 g/m2 • 796 500 g/m2

non-fading according to DIN EN 105-B01: 6

	793	795	791	796
reflexion in %:	66	66	66	73
absorption in %:	34	34	34	27
transmission:	0	0	0	0
total energy transmission degree gt:	0,36	0,36	0,36	0,33
reduction factor Fc:	0,50	0,50	0,50	0,45

behaviour in fire:

flame resistant according to (DE) DIN 4102 B1

flame resistant according to (F) M1

moisture proof

utilization:

In any area of domestic and project buildings, recommended for computer work places according to ISO 9241-6, computer work places decree, to EU regulation (90/270/EWG) and work station regulations (§ 7 und § 9) as well as for humid rooms.