


## LIMIT SIZE

### Roof window roller blind Types C 8500-C 8800

Type C 8500-C 8800



minimum roller blind width 350 mm

maximum height see list

roller blind shaft: 25 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	1600	1600	Spunglas Screen I	69580-82	1600	1000
Alustar NT	5300-10	1600	1400	Fiberglas Okkult	780-785	1600	1600
Pearlstar Smart	9301-06	1600	1400	Objekt Okkult	740-745	1600	1600
Spunglas Dim-Out	69920-70	1600	1600	Polyester Okkult B1	750-754	1600	1600
Alustar Light	5011-14	1600	1600	Pearlstar Okkult	770-773	1600	1100
Pearlstar Plus	9201-05	1600	1100	Spunglas Okkult	791-796	1600	1600
Alustar Trevira CS	5500-02	1600	1600	Polyester Basic B1	9601-10	1600	1600
Alustar Struktur	5400	1600	1600	Artex	3811-19	1600	1400
Alustar 5000	5000-60	1600	1600	Spunglas Struktur A2	69200-40	1600	1600
Alustar 6000	6000-90	1600	1600	Trevira® CS Colour I	8101-10	1600	1600
Contour I	5800	1500	1600	Trevira® CS Colour II	8001-34	1600	1400
Contour I	5807-09	1500	1600	Interloon Colour	9700-08	1600	1400
Contour II	5801+5900	1500	1600	Movie Reflex	R23870	1600	1600
Interloon Screen I	430-438	1600	1300				
Thermostar Screen II	450-454	1600	1300				
Protect	880-883	1600	1600				


Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width

all measurements in mm


## LIMIT SIZE

### electric roller blinds 24 V Types C 6100-C 6150


Type C 6100




Type C 6110




Type C 6120




Type C 6130



Type C 6140



Type C 6150



minimum roller blind width 400 mm  
 maximum height see list  
 roller blind shaft: 28 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	1700	2000	Spunglas Screen I	69580-82	1700	1200
Alustar NT	5300-10	1700	2200	Fiberglas Okkult	780-785	1600	2100
Pearlstar Smart	9301-06	1800	1600	Objekt Okkult	740-745	1700	2400
Spunglas Dim-Out	69920-70	1700	3000	Polyester Okkult B1	750-754	1700	1900
Alustar Light	5011-14	1800	3000	Pearlstar Okkult	770-773	1700	1300
Pearlstar Plus	9201-05	1800	1400	Spunglas Okkult	791-796	1700	1700
Alustar Trevira CS	5500-02	1800	1600	Polyester Basic B1	9601-10	1800	2100
Alustar Struktur	5400	1800	2400	Artex	3811-19	1800	1600
Alustar 5000	5000-60	1800	3000	Spunglas Struktur A2	69200-40	1700	2600
Alustar 6000	6000-90	1800	3000	Trevira® CS Colour I	8101-10	1800	1900
Contour I	5800	1500	2000	Trevira® CS Colour II	8001-34	1800	1600
Contour I	5807-09	1500	2500	Interloon Colour	9700-08	1700	1600
Contour II	5801+5900	1500	2000	Movie Reflex	R23870	1700	1800
Interloon Screen I	430-438	1800	1400				
Thermostar Screen II	450-454	1800	1400				
Protect	880-883	1700	2000				


Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
 Cross seam if roller blind's width and height exceed fabric width

all measurements in mm


## LIMIT SIZE

### electric roller blinds 24 V Types C 6180-C 6190

Type C 6180



Type C 6190



minimum roller blind width 400 mm

maximum height see list

roller blind shaft: 28 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	1500	1200	Spunglas Screen I	69580-82		
Alustar NT	5300-10	1500	1200	Fiberglas Okkult	780-785	1400	1100
Pearlstar Smart	9301-06	1500	900	Objekt Okkult	740-745	1500	1300
Spunglas Dim-Out	69920-70	1500	1600	Polyester Okkult B1	750-754	1500	1000
Alustar Light	5011-14	1600	2100	Pearlstar Okkult	770-773		
Pearlstar Plus	9201-05	1500	800	Spunglas Okkult	791-796	1500	1000
Alustar Trevira CS	5500-02	1600	900	Polyester Basic B1	9601-10	1600	1200
Alustar Struktur	5400	1500	1300	Artex	3811-19	1600	900
Alustar 5000	5000-60	1600	2300	Spunglas Struktur A2	69200-40	1500	1900
Alustar 6000	6000-90	1600	2300	Trevira® CS Colour I	8101-10	1600	1000
Contour I	5800	1500	2000	Trevira® CS Colour II	8001-34	1500	900
Contour I	5807-09	1500	2500	Interloon Colour	9700-08	1600	900
Contour II	5801+5900	1500	2000	Movie Reflex	R23870	1500	900
Interloon Screen I	430-438	1600	800				
Thermostar Screen II	450-454	1600	800				
Protect	880-883	1500	1100				


Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width

all measurements in mm


## LIMIT SIZE

### electric roller blinds 24 V Types D 6300-D 6370


Type D 6300




Type D 6310




Type D 6320



Type D 6350



Type D 6370



minimum roller blind width 400 mm

maximum height see list

roller blind shaft: 28 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	1700	3000	Spunglas Screen I	69580-82	1600	1000
Alustar NT	5300-10	1600	3000	Fiberglas Okkult	780-785	1500	3000
Pearlstar Smart	9301-06	1700	3000	Objekt Okkult	740-745	1600	3000
Spunglas Dim-Out	69920-70	1700	3000	Polyester Okkult B1	750-754	1700	1700
Alustar Light	5011-14	1800	3000	Pearlstar Okkult	770-773	1500	3000
Pearlstar Plus	9201-05	1600	3000	Spunglas Okkult	791-796	1500	3000
Alustar Trevira CS	5500-02	1800	2400	Polyester Basic B1	9601-10	1700	3000
Alustar Struktur	5400	1800	3000	Artex	3811-19	1700	3000
Alustar 5000	5000-60	1800	3000	Spunglas Struktur A2	69200-40	1700	3000
Alustar 6000	6000-90	1800	3000	Trevira® CS Colour I	8101-10	1700	3000
Contour I	5800	1500	2000	Trevira® CS Colour II	8001-34	1600	3000
Contour I	5807-09	1500	2500	Interloon Colour	9700-08	1700	2100
Contour II	5801+5900	1500	2000	Movie Reflex	R23870	1600	3000
Interloon Screen I	430-438	1700	3000				
Thermostar Screen II	450-454	1700	3000				
Protect	880-883	1600	3000				


Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width

all measurements in mm


## LIMIT SIZE

### electric roller blinds 24 V Types C 7100-C 7113

Type C 7100



Type C 7111-C 7113



minimum roller blind width 400 mm

maximum height see list

roller blind shaft: 28 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	1700	3000	Spunglas Screen I	69580-82	1700	1700
Alustar NT	5300-10	1600	3000	Fiberglas Okkult	780-785	1500	3000
Pearlstar Smart	9301-06	1700	3000	Objekt Okkult	740-745	1600	3000
Spunglas Dim-Out	69920-70	1700	3000	Polyester Okkult B1	750-754	1700	2100
Alustar Light	5011-14	1800	3000	Pearlstar Okkult	770-773	1600	2400
Pearlstar Plus	9201-05	1600	2700	Spunglas Okkult	791-796	1500	3000
Alustar Trevira CS	5500-02	1800	2400	Polyester Basic B1	9601-10	1700	3000
Alustar Struktur	5400	1800	3000	Artex	3811-19	1700	3000
Alustar 5000	5000-60	1800	3000	Spunglas Struktur A2	69200-40	1700	3000
Alustar 6000	6000-90	1800	3000	Trevira® CS Colour I	8101-10	1700	3000
Contour I	5800	1500	2000	Trevira® CS Colour II	8001-34	1700	2600
Contour I	5807-09	1500	2500	Interloon Colour	9700-08	1700	3000
Contour II	5801+5900	1500	2000	Movie Reflex	R23870	1600	3000
Interloon Screen I	430-438	1700	2700				
Thermostar Screen II	450-454	1700	2700				
Protect	880-883	1600	3000				


Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width

all measurements in mm


## LIMIT SIZE

### side pull roller blinds Types C 6000-C 6040


Typ C 6000




Typ C 6010




Typ C 6011




Typ C 6020



Typ C 6030



Typ C 6040



minimum roller blind width 400 mm

maximum height see list

roller blind shaft: 30 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	2000	1800	Spunglas Screen I	69580-82	2000	1000
Alustar NT	5300-10	1900	2000	Fiberglas Okkult	780-785	1700	1800
Pearlstar Smart	9301-06	2000	1500	Objekt Okkult	740-745	1900	2300
Spunglas Dim-Out	69920-70	1900	2700	Polyester Okkult B1	750-754	1900	1700
Alustar Light	5011-14	2000	3000	Pearlstar Okkult	770-773	1900	1200
Pearlstar Plus	9201-05	2000	1300	Spunglas Okkult	791-796	1800	1700
Alustar Trevira CS	5500-02	2000	1500	Polyester Basic B1	9601-10	2000	2000
Alustar Struktur	5400	2000	2200	Artex	3811-19	2000	1500
Alustar 5000	5000-60	2000	3000	Spunglas Struktur A2	69200-40	1900	3000
Alustar 6000	6000-90	2000	3000	Trevira® CS Colour I	8101-10	2000	1700
Contour I	5800	1500	2000	Trevira® CS Colour II	8001-34	1800	1500
Contour I	5807-09	1500	2500	Interloon Colour	9700-08	2000	1500
Contour II	5801+5900	1500	2000	Movie Reflex	R23870	1900	1600
Interloon Screen I	430-438	2000	1300				
Thermostar Screen II	450-454	2000	1300				
Protect	880-883	1900	1900				


Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width

all measurements in mm


# LIMIT SIZE

## side pull roller blinds Types D 6200-D 6270


Typ D 6200




Typ D 6210




Typ D 6211



Typ D 6220



Typ D 6270



minimum roller blind width 400 mm  
 maximum height see list  
 roller blind shaft: 30 mm

### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	1800	3000	Spunglas Screen I	69580-82	1800	1700
Alustar NT	5300-10	1800	2600	Fiberglas Okkult	780-785	1700	1800
Pearlstar Smart	9301-06	1900	2800	Objekt Okkult	740-745	1900	2400
Spunglas Dim-Out	69920-70	1900	2800	Polyester Okkult B1	750-754	1900	2000
Alustar Light	5011-14	2000	3000	Pearlstar Okkult	770-773	1800	1700
Pearlstar Plus	9201-05	1800	2400	Spunglas Okkult	791-796	1800	1800
Alustar Trevira CS	5500-02	2000	2100	Polyester Basic B1	9601-10	1900	3000
Alustar Struktur	5400	2000	3000	Artex	3811-19	1900	3000
Alustar 5000	5000-60	2000	3000	Spunglas Struktur A2	69200-40	1900	3000
Alustar 6000	6000-90	2000	3000	Trevira® CS Colour I	8101-10	1900	3000
Contour I	5800	1500	2000	Trevira® CS Colour II	8001-34	1800	2800
Contour I	5807-09	1500	2500	Interloon Colour	9700-08	1900	3000
Contour II	5801+5900	1500	2000	Movie Reflex	R23870	1800	2400
Interloon Screen I	430-438	1900	3000				
Thermostar Screen II	450-454	1900	3000				
Protect	880-883	1900	2400				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
 Cross seam if roller blind's width and height exceed fabric width

all measurements in mm


Subject to technical modification.

05.2012


## LIMIT SIZE

### side pull roller blinds Types C 7000-C 7013

Type C 7000



Type C 7011-C 7013



minimum roller blind width 400 mm

maximum height see list

roller blind shaft: 30 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	1800	3000	Spunglas Screen I	69580-82	1800	1700
Alustar NT	5300-10	1800	2600	Fiberglas Okkult	780-785	1700	1800
Pearlstar Smart	9301-06	1900	2800	Objekt Okkult	740-745	1900	2400
Spunglas Dim-Out	69920-70	1900	2800	Polyester Okkult B1	750-754	1900	2000
Alustar Light	5011-14	2000	3000	Pearlstar Okkult	770-773	1800	1700
Pearlstar Plus	9201-05	1800	2400	Spunglas Okkult	791-796	1800	1800
Alustar Trevira CS	5500-02	2000	2100	Polyester Basic B1	9601-10	1900	3000
Alustar Struktur	5400	2000	3000	Artex	3811-19	1900	2900
Alustar 5000	5000-60	2000	3000	Spunglas Struktur A2	69200-40	1900	3000
Alustar 6000	6000-90	2000	3000	Trevira® CS Colour I	8101-10	1900	3000
Contour I	5800	1500	2000	Trevira® CS Colour II	8001-34	1800	2800
Contour I	5807-09	1500	2500	Interloon Colour	9700-08	1900	2900
Contour II	5801+5900	1500	2000	Movie Reflex	R23870	1800	2400
Interloon Screen I	430-438	1900	2600				
Thermostar Screen II	450-454	1900	2600				
Protect	880-883	1900	2400				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width


all measurements in mm




## LIMIT SIZE

### side pull roller blinds Types D 7540-D 7545

Type D 7540



Type D 7545



minimum roller blind width 400 mm

maximum height see list

roller blind shaft: 40 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	2200	3000	Spunglas Screen I	69580-82	2100	2200
Alustar NT	5300-10	2200	3000	Fiberglas Okkult	780-785	1900	2400
Pearlstar Smart	9301-06	2200	3000	Objekt Okkult	740-745	2200	3000
Spunglas Dim-Out	69920-70	2200	3000	Polyester Okkult B1	750-754	2100	2800
Alustar Light	5011-14	2300	3000	Pearlstar Okkult	770-773	1900	2600
Pearlstar Plus	9201-05	2100	3000	Spunglas Okkult	791-796	1900	2600
Alustar Trevira CS	5500-02	2100	3000	Polyester Basic B1	9601-10	2300	3000
Alustar Struktur	5400	2000	3000	Artex	3811-19	2000	3000
Alustar 5000	5000-60	2300	3000	Spunglas Struktur A2	69200-40	2200	3000
Alustar 6000	6000-90	2300	3000	Trevira® CS Colour I	8101-10	2300	3000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	3000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	3000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	2100	3000
Interloon Screen I	430-438	2300	3000				
Thermostar Screen II	450-454	2300	3000				
Protect	880-883	2200	3000				


Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width

all measurements in mm


# LIMIT SIZE

## side pull roller blinds Types D 6250/60/90


Type D 6250



Type D 6260



Type D 6290



minimum roller blind width 600 mm  
 maximum height see list  
 roller blind shaft: 38 mm

### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	2200	3000	Spunglas Screen I	69580-82	2100	2200
Alustar NT	5300-10	2200	3000	Fiberglas Okkult	780-785	1900	2400
Pearlstar Smart	9301-06	2200	3000	Objekt Okkult	740-745	2200	3000
Spunglas Dim-Out	69920-70	2200	3000	Polyester Okkult B1	750-754	2100	2800
Alustar Light	5011-14	2300	3000	Pearlstar Okkult	770-773	1900	2600
Pearlstar Plus	9201-05	2100	3000	Spunglas Okkult	791-796	1900	2600
Alustar Trevira CS	5500-02	2300	3000	Polyester Basic B1	9601-10	2300	3000
Alustar Struktur	5400	2000	3000	Artex	3811-19	2000	3000
Alustar 5000	5000-60	2300	3000	Spunglas Struktur A2	69200-40	2200	3000
Alustar 6000	6000-90	2300	3000	Trevira® CS Colour I	8101-10	2300	3000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	3000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	3000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	2100	3000
Interloon Screen I	430-438	2300	3000				
Thermostar Screen II	450-454	2300	3000				
Protect	880-883	2200	3000				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
 Cross seam if roller blind's width and height exceed fabric width


all measurements in mm

## LIMIT SIZE

### side pull roller blinds Types F 7550, F 7555

Type F 7550

Type F 7555



minimum roller blind width 600 mm  
maximum height see list  
roller blind shaft: 52 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	2700	3000	Spunglas Screen I	69580-82	2500	3000
Alustar NT	5300-10	2700	3000	Fiberglas Okkult	780-785	2400	3000
Pearlstar Smart	9301-06	2700	3000	Objekt Okkult	740-745	2700	3000
Spunglas Dim-Out	69920-70	2600	3000	Polyester Okkult B1	750-754	2100	3000
Alustar Light	5011-14	2700	3000	Pearlstar Okkult	770-773	2500	3000
Pearlstar Plus	9201-05	2600	3000	Spunglas Okkult	791-796	2500	3000
Alustar Trevira CS	5500-02	2400	3000	Polyester Basic B1	9601-10	2700	3000
Alustar Struktur	5400	2000	3000	Artex	3811-19	2000	3000
Alustar 5000	5000-60	2700	3000	Spunglas Struktur A2	69200-40	2700	3000
Alustar 6000	6000-90	2700	3000	Trevira® CS Colour I	8101-10	2700	3000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	3000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	3000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	2600	3000
Interloon Screen I	430-438	2700	3000				
Thermostar Screen II	450-454	2700	3000				
Protect	880-883	2700	3000				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease.  
Cross seam if roller blind's width and height exceed fabric width.


All measurements in mm

## LIMIT SIZE

### side pull roller blinds Types F 7560 - F 7565

Type F 7560

Type F 7565



minimum roller blind width 600 mm

maximum height see list

roller blind shaft: 65 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	3300	4000	Spunglas Screen I	69580-82	2500	4000
Alustar NT	5300-10	3200	4000	Fiberglas Okkult	780-785	3100	3200
Pearlstar Smart	9301-06	3200	4000	Objekt Okkult	740-745	3300	3200
Spunglas Dim-Out	69920-70	3300	4000	Polyester Okkult B1	750-754	1600	1600
Alustar Light	5011-14	3300	4000	Pearlstar Okkult	770-773	2100	4000
Pearlstar Plus	9201-05	3200	4000	Spunglas Okkult	791-796	3200	3200
Alustar Trevira CS	5500-02	2400	4000	Polyester Basic B1	9601-10	3300	4000
Alustar Struktur	5400	2000	4000	Artex	3811-19	2000	4000
Alustar 5000	5000-60	3300	4000	Spunglas Struktur A2	69200-40	3100	4000
Alustar 6000	6000-90	3300	4000	Trevira® CS Colour I	8101-10	3300	4000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	4000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2400	4000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	3200	4000
Interloon Screen I	430-438	3300	4000				
Thermostar Screen II	450-454	3300	4000				
Protect	880-883	3200	4000				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease.  
Cross seam if roller blind's width and height exceed fabric width.


All measurements in mm

## LIMIT SIZE

### side pull roller blinds Types G 7580 - G 7585

Type G 7580

Type G 7585



minimum roller blind width 1100 mm

maximum height see list

roller blind shaft: 81 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	4000	4000	Spunglas Screen I	69580-82	2500	4000
Alustar NT	5300-10	3800	4000	Fiberglas Okkult	780-785	3600	4000
Pearlstar Smart	9301-06	4000	4000	Objekt Okkult	740-745	3800	4000
Spunglas Dim-Out	69920-70	3600	4000	Polyester Okkult B1	750-754	2100	4000
Alustar Light	5011-14	4000	4000	Pearlstar Okkult	770-773	3700	4000
Pearlstar Plus	9201-05	3800	4000	Spunglas Okkult	791-796	3700	4000
Alustar Trevira CS	5500-02	2400	4000	Polyester Basic B1	9601-10	4000	4000
Alustar Struktur	5400	2000	4000	Artex	3811-19	2000	4000
Alustar 5000	5000-60	4000	4000	Spunglas Struktur A2	69200-40	3600	4000
Alustar 6000	6000-90	4000	4000	Trevira® CS Colour I	8101-10	4000	4000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	4000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	4000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	3800	4000
Interloon Screen I	430-438	4000	4000				
Thermostar Screen II	450-454	4000	4000				
Protect	880-883	3900	4000				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease.  
Cross seam if roller blind's width and height exceed fabric width.


All measurements in mm

# LIMIT SIZE

## Soft roller blind Types D 8000-D 8100

Type D 8000

Type D 8100



minimum roller blind width \*560/860 mm  
 maximum height see list  
 roller blind shaft: 40 mm

### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	2100	3000	Spunglas Screen I	69580-82	2000	2100
Alustar NT	5300-10	2100	3000	Fiberglas Okkult	780-785	2000	2000
Pearlstar Smart	9301-06	2100	3000	Objekt Okkult	740-745	2100	3000
Spunglas Dim-Out	69920-70	2100	3000	Polyester Okkult B1	750-754	2100	2600
Alustar Light	5011-14	2300	3000	Pearlstar Okkult	770-773	2100	2000
Pearlstar Plus	9201-05	2000	3000	Spunglas Okkult	791-796	2100	2000
Alustar Trevira CS	5500-02	2200	3000	Polyester Basic B1	9601-10	2200	3000
Alustar Struktur	5400	2000	3000	Artex	3811-19	2000	3000
Alustar 5000	5000-60	2300	3000	Spunglas Struktur A2	69200-40	2200	3000
Alustar 6000	6000-90	2300	3000	Trevira® CS Colour I	8101-10	2200	3000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	3000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	3000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	2000	3000
Interloon Screen I	430-438	2200	3000				
Thermostar Screen II	450-454	2200	3000				
Protect	880-883	2100	3000				


\* roller blind's height less than 2000 mm, weight less than 1 kg  
 Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease.

Cross seam if roller blind's width and height exceed fabric width.  
 All measurements in mm


# LIMIT SIZE

## electric roller blinds 230 V Types D 6400-D 6470


Type D 6400




Type D 6410




Type D 6411



Type D 6420



Type D 6470



minimum roller blind width 700 mm  
 maximum height see list  
 roller blind shaft: 42 mm

### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	2200	4000	Spunglas Screen I	69580-82	2200	2400
Alustar NT	5300-10	2200	3800	Fiberglas Okkult	780-785	2000	4000
Pearlstar Smart	9301-06	2300	3400	Objekt Okkult	740-745	2200	4000
Spunglas Dim-Out	69920-70	2200	4000	Polyester Okkult B1	750-754	2100	3800
Alustar Light	5011-14	2500	4000	Pearlstar Okkult	770-773	2200	2600
Pearlstar Plus	9201-05	2200	3000	Spunglas Okkult	791-796	2100	3800
Alustar Trevira CS	5500-02	2400	3000	Polyester Basic B1	9601-10	2300	4000
Alustar Struktur	5400	2000	4000	Artex	3811-19	2000	3300
Alustar 5000	5000-60	2500	4000	Spunglas Struktur A2	69200-40	2300	4000
Alustar 6000	6000-90	2500	4000	Trevira® CS Colour I	8101-10	2300	3800
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	3400
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	3400
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	2200	3600
Interloon Screen I	430-438	2300	3000				
Thermostar Screen II	450-454	2300	3000				
Protect	880-883	2200	4000				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
 Cross seam if roller blind's width and height exceed fabric width


all measurements in mm

## LIMIT SIZE

### electric roller blinds 230 V Types D 7400-D 7411

Type D 7400

Type D 7411



minimum roller blind width 700 mm

maximum height see list

roller blind shaft: 42 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	2200	4000	Spunglas Screen I	69580-82	2100	4000
Alustar NT	5300-10	2200	4000	Fiberglas Okkult	780-785	2100	4000
Pearlstar Smart	9301-06	2200	4000	Objekt Okkult	740-745	2200	4000
Spunglas Dim-Out	69920-70	2200	4000	Polyester Okkult B1	750-754	2100	4000
Alustar Light	5011-14	2500	4000	Pearlstar Okkult	770-773	2100	4000
Pearlstar Plus	9201-05	2200	4000	Spunglas Okkult	791-796	2100	4000
Alustar Trevira CS	5500-02	2400	3000	Polyester Basic B1	9601-10	2300	4000
Alustar Struktur	5400	2000	4000	Artex	3811-19	2000	4000
Alustar 5000	5000-60	2500	4000	Spunglas Struktur A2	69200-40	2300	4000
Alustar 6000	6000-90	2500	4000	Trevira® CS Colour I	8101-10	2300	4000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	4000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	4000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	2100	4000
Interloon Screen I	430-438	2300	4000				
Thermostar Screen II	450-454	2300	4000				
Protect	880-883	2200	4000				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width


all measurements in mm




## LIMIT SIZE

### electric roller blinds 230 V Types F 6700-F 6770


Type F 6700




Type F 6710




Type F 6711



Type F 6720



Type F6770



minimum roller blind width 700 mm

maximum height see list

roller blind shaft: 50 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	2400	4000	Spunglas Screen I	69580-82	2400	4000
Alustar NT	5300-10	2400	4000	Fiberglas Okkult	780-785	2200	4000
Pearlstar Smart	9301-06	2400	4000	Objekt Okkult	740-745	2400	4000
Spunglas Dim-Out	69920-70	2400	4000	Polyester Okkult B1	750-754	2100	4000
Alustar Light	5011-14	2700	4000	Pearlstar Okkult	770-773	2200	4000
Pearlstar Plus	9201-05	2300	4000	Spunglas Okkult	791-796	2200	4000
Alustar Trevira CS	5500-02	2400	4000	Polyester Basic B1	9601-10	2500	4000
Alustar Struktur	5400	2000	4000	Artex	3811-19	2000	4000
Alustar 5000	5000-60	2700	4000	Spunglas Struktur A2	69200-40	2500	4000
Alustar 6000	6000-90	2700	4000	Trevira® CS Colour I	8101-10	2500	4000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	4000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	4000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	2300	4000
Interloon Screen I	430-438	2500	4000				
Thermostar Screen II	450-454	2500	4000				
Protect	880-883	2400	4000				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width


all measurements in mm

# LIMIT SIZE

## electric roller blinds 230 V Types F 7500-F 7511

Type F 7500

Type F 7511



minimum roller blind width 700 mm

maximum height see list

roller blind shaft: 50 mm

### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	2400	4000	Spunglas Screen I	69580-82	2300	3200
Alustar NT	5300-10	2400	4000	Fiberglas Okkult	780-785	2200	4000
Pearlstar Smart	9301-06	2400	4000	Objekt Okkult	740-745	2400	4000
Spunglas Dim-Out	69920-70	2400	4000	Polyester Okkult B1	750-754	2100	4000
Alustar Light	5011-14	2700	4000	Pearlstar Okkult	770-773	2300	3500
Pearlstar Plus	9201-05	2300	4000	Spunglas Okkult	791-796	2200	4000
Alustar Trevira CS	5500-02	2400	4000	Polyester Basic B1	9601-10	2500	4000
Alustar Struktur	5400	2000	4000	Artex	3811-19	2000	4000
Alustar 5000	5000-60	2700	4000	Spunglas Struktur A2	69200-40	2500	4000
Alustar 6000	6000-90	2700	4000	Trevira® CS Colour I	8101-10	2500	4000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	4000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	4000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	2300	4000
Interloon Screen I	430-438	2500	4000				
Thermostar Screen II	450-454	2500	4000				
Protect	880-883	2400	4000				


Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width

all measurements in mm


# LIMIT SIZE

## electric roller blinds 230 V Types F 6800-F 6870


Type F 6800




Type F 6810




Type F 6811



Type F 6820



Type F 6870



minimum roller blind width 800 mm  
 maximum height see list  
 roller blind shaft: 63 mm

### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	3300	4000	Spunglas Screen I	69580-82	2500	4000
Alustar NT	5300-10	3300	4000	Fiberglas Okkult	780-785	3200	4000
Pearlstar Smart	9301-06	3300	4000	Objekt Okkult	740-745	3300	4000
Spunglas Dim-Out	69920-70	3300	4000	Polyester Okkult B1	750-754	2100	4000
Alustar Light	5011-14	3300	4000	Pearlstar Okkult	770-773	3200	4000
Pearlstar Plus	9201-05	3300	4000	Spunglas Okkult	791-796	3200	4000
Alustar Trevira CS	5500-02	2400	4000	Polyester Basic B1	9601-10	3300	4000
Alustar Struktur	5400	2000	4000	Artex	3811-19	2000	4000
Alustar 5000	5000-60	3300	4000	Spunglas Struktur A2	69200-40	3300	4000
Alustar 6000	6000-90	3300	4000	Trevira® CS Colour I	8101-10	3300	4000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	4000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	4000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	3300	4000
Interloon Screen I	430-438	3300	4000				
Thermostar Screen II	450-454	3300	4000				
Protect	880-883	3300	4000				


Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
 Cross seam if roller blind's width and height exceed fabric width

all measurements in mm

## LIMIT SIZE

### electric roller blinds 230 V Type F 7600

Type F 7600



minimum roller blind width 800 mm

maximum height see list

roller blind shaft: 63 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	3300	4000	Spunglas Screen I	69580-82	2500	4000
Alustar NT	5300-10	3300	4000	Fiberglas Okkult	780-785	3200	4000
Pearlstar Smart	9301-06	3300	4000	Objekt Okkult	740-745	3300	4000
Spunglas Dim-Out	69920-70	3300	4000	Polyester Okkult B1	750-754	2100	4000
Alustar Light	5011-14	3300	4000	Pearlstar Okkult	770-773	3200	3400
Pearlstar Plus	9201-05	3300	3800	Spunglas Okkult	791-796	3200	4000
Alustar Trevira CS	5500-02	2400	4000	Polyester Basic B1	9601-10	3300	4000
Alustar Struktur	5400	2000	4000	Artex	3811-19	2000	4000
Alustar 5000	5000-60	3300	4000	Spunglas Struktur A2	69200-40	3300	4000
Alustar 6000	6000-90	3300	4000	Trevira® CS Colour I	8101-10	3300	4000
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	4000
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	4000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	3300	4000
Interloon Screen I	430-438	3300	4000				
Thermostar Screen II	450-454	3300	4000				
Protect	880-883	3300	4000				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width


all measurements in mm

## LIMIT SIZE

### electric roller blinds 230 V Types G 6910-G 6970

Typ G 6910

Typ G 6970



minimum roller blind width 1000 mm

maximum height see list

roller blind shaft: 83 mm

#### maximum height roller blind in relation to thickness

Quality	ref. no.	width	height	Quality	ref. no.	width	height
Interloon Reflex B1	9401-04	4000	2600	Spunglas Screen I	69580-82	2500	4000
Alustar NT	5300-10	3900	2600	Fiberglas Okkult	780-785	3800	2600
Pearlstar Smart	9301-06	4000	2100	Objekt Okkult	740-745	3900	3200
Spunglas Dim-Out	69920-70	3900	3800	Polyester Okkult B1	750-754	3800	2400
Alustar Light	5011-14	4000	4000	Pearlstar Okkult	770-773	3900	1600
Pearlstar Plus	9201-05	4000	1800	Spunglas Okkult	791-796	3800	2400
Alustar Trevira CS	5500-02	2400	4000	Polyester Basic B1	9601-10	4000	2800
Alustar Struktur	5400	2000	3000	Artex	3811-19	2000	2100
Alustar 5000	5000-60	4000	4000	Spunglas Struktur A2	69200-40	4000	3800
Alustar 6000	6000-90	4000	4000	Trevira® CS Colour I	8101-10	4000	2300
Contour I	5800	1500	3000	Trevira® CS Colour II	8001-34	1800	2100
Contour I	5807-09	1500	3000	Interloon Colour	9700-08	2300	4000
Contour II	5801+5900	1500	3000	Movie Reflex	R23870	3900	2300
Interloon Screen I	430-438	4000	1800				
Thermostar Screen II	450-454	4000	1800				
Protect	880-883	3900	2600				

Very narrow or very broad roller blind sizes: the indicated roller blind height may decrease  
Cross seam if roller blind's width and height exceed fabric width

all measurements in mm